

ATTACHMENT 0007
PROVISIONING REQUIREMENTS STATEMENT
(GEIA-STD-0007-A)

This Provisioning Requirements Statement (PRS) supplements and definitizes requirements in the Statement of Work (SOW).

1. Provisioning/Maintenance/Publication Guidance Conference: **Available Via Telephone**
 - a. Location: **Selfridge Air National Guard Base, Harrison Township, MI Bldg 302**
 - b. Date: **TBD**
 - c. Time: **TBD**
 - d. Estimated number of days: **One**
2. Provisioning Conferences(s): **Are Required**
 - a. Location: At the **Selfridge Air National Guard Base, Bldg 302, 2nd Floor, 29661 George Avenue, Harrison Twp, MI 48045-4941**
 - b. Date: **IAW Integrated Master Schedule**
 - c. Time: **TBD**
 - d. Estimated number of days: **As Required** (not to exceed 5 days per conference restrictions)
 - e. The Contractor **is not** required to have a sample of the component/end item at the conference.
3. The sample article **will not** be disassembled at the conference.
4. A Provisioning Preparedness Review Conference **is not** required.
5. Incremental submission of PTD (LMI Data & EDFP) **is authorized**.
6. Provisioning Screening **is** required.
7. A Resident Provisioning Team (RPT) **will not** be established.
8. Commercial Illustrations and LMI Illustration products media shall be:
 - a. **Electronic Format**
9. LMI EDFP Support will be sequenced by:
 - a. **PLISN** order for hard copy review at conference
 - b. **Part Number** order for electronic submission
10. Tools and Test Equipment **will not** be included as part of the LMI Data Products (PPL).
11. Repair Kits and Repair Part Sets **will not** be included in the LMI Data Products (PPL).
12. Special Purpose Kits **will not** be included in the LMI Data Products (PPL).
13. Basic Issue Items (BII) **will not** be included in the LMI Data Products (PPL).
14. Bulk material that is required to fabricate items that are coded "M" (make) **will** also be listed on the LMI Data Products (PPL).